

16-WB71



TS CHEMIC-Chemical Grip, Waterproof Impact safety chemical resistance VINYL / PVC coated glove, 30CM Length.

Features & Benefit

- ⚡ Option 1-15GG Aramid liner provides 360° cut protection
- ⚡ Option 2-15GG Nylon liner provides 360° comfort fit
- ⚡ PVC coating resistant to petrol, diesel and many chemicals
- ⚡ Outstanding palm grip to handle slippery objects
- ⚡ Powerful impact protective details on back of hand
- ⚡ Wide cuff and glove length is 30cm

Product Functions



Applications



Technical Data

Material	PVC / Nylon & Aramid
Construction	Liner Gauge: 15 Gauge Liner Material: Nylon or Aramid Coating Material: PVC / Vinyl Coating Finish: Smooth Coating Position: Fully Other Finish: None Crotch: None Palm: PVC Knuckle: PVC Cuff: Gauntlet
Color	■ Blue
Cuff Style	Gauntlet
Sizes	L-2XL
Package	Standard 12 pairs per dozen, 10 dozen per case
Case	Please contact our Sales person for details
Case Weight	Please contact our Sales person for details
Country of Origin	China

26-751



TS CHEMIC-Chemical Grip, Oil resistance flexible comfortable touch industrial VINYL / PVC coated glove, 30CM Length.

Features & Benefit

- ⚡ 7GG acrylic fleece liner with PVC triple dipping
- ⚡ Glove remain highly durable, comfortable and flexible
- ⚡ PVC coating resistant to petrol, diesel and many chemicals

Product Functions



Applications



Technical Data

Material	PVC / Acrylic
Construction	Liner Gauge: 7 Gauge Liner Material: Acrylic Fleece Coating Material: PVC / Vinyl Coating Finish: Smooth Coating position: Fully Other Finish: None Crotch: None Palm: None Knuckle: None Cuff: Gauntlet
Color	■ Orange
Cuff Style	Gauntlet
Sizes	XL-2XL
Package	Standard 12 pairs per dozen, 10 dozen per case
Case	Please contact our Sales person for details
Case Weight	Please contact our Sales person for details
Country of Origin	China



26-761



TS CHEMIC-Chemical Grip, Ultra cold resistant water proof triple dipping VINYL / PVC coated glove, 30CM Length.

Features & Benefit

- ⚡ 7GG acrylic fleece liner with PVC triple dipping
- ⚡ Glove remain highly durable, comfortable and flexible
- ⚡ PVC coating resistant to petrol, diesel and many chemicals

Product Functions



Applications




Technical Data

Material	PVC / Acrylic
Construction	Liner Gauge: 7 Gauge Liner Material: Acrylic Fleece Coating Material: PVC / Vinyl Coating Finish: Smooth Coating position: Fully Other Finish: None Crotch: None Palm: None Knuckle: None Cuff: Gauntlet
Color	■ Blue
Cuff Style	Gauntlet
Sizes	XL-2XL
Package	Standard 12 pairs per dozen, 10 dozen per case
Case	Please contact our Sales person for details
Case Weight	Please contact our Sales person for details
Country of Origin	China



P1025



TS CHEMIC-Chemical Grip, Cotton interlock liner with red VINYL / PVC coated glove, 35CM Length.

Features & Benefit

- ⚡ Cotton interlock liner with PVC triple dipping
- ⚡ Glove remain highly durable, comfortable and flexible
- ⚡ PVC coating resistant to petrol, diesel and many chemicals

Product Functions



Applications



Technical Data

Material	PVC / Cotton
Construction	Liner Gauge: None Liner Material: Cotton Interlock Coating Material: PVC / Vinyl Coating Finish: Smooth Coating Position: Fully Other Finish: None Crotch: None Palm: None Knuckle: None Cuff: Gauntlet
Color	■ Red
Cuff Style	Gauntlet
Sizes	XL-2XL
Package	Standard 12 pairs per dozen, 10 dozen per case
Case	Please contact our Sales person for details
Case Weight	Please contact our Sales person for details
Country of Origin	China



PN301BK



TS CHEMIC-Chemical Grip, Oil grip industrial sandy finishing palm PVC & NBR coated glove.

Features & Benefit

- ⚡ 15GG / 18GG Nylon liner with PVC dipping
- ⚡ PVC & NBR coating resistant to petrol, diesel and many chemicals
- ⚡ Perfect combinations of chemical defence, superior
- ⚡ Grip and flexibility, allowing wearers to hold oily and
- ⚡ Wet materials well
- ⚡ In compliance with FDA regulations

Product Functions



Applications



Technical Data

Material	PVC / NBR / Nylon
Construction	Liner Gauge: 18 Gauge Liner Material: Nylon Coating Material: PVC / NBR Coating Finish: Smooth Coating Position: Fully Other Finish: None Crotch: None Palm: PNone Knuckle: None Cuff: Gauntlet
Color	■ Blue / ■ Black
Cuff Style	Gauntlet
Sizes	XL-2XL
Package	Standard 12 pairs per dozen, 10 dozen per case
Case	Please contact our Sales person for details
Case Weight	Please contact our Sales person for details
Country of Origin	China



PH-303BR



TS CHEMIC-Chemical Grip, Oil grip industrial PVC & NBR coated glove, 30CM Length.

Features & Benefit

- ⚡ 15GG / 18GG Nylon liner with PVC triple dipping
- ⚡ Glove remain flexible and soft touch & comfort
- ⚡ PVC & NBR coating resistant to petrol, diesel and many chemicals

Product Functions



Applications



Technical Data

Material	PVC / NBR / Nylon
Construction	Liner Gauge: 18 Gauge Liner Material: Nylon Coating Material: PVC / NBR Coating Finish: Smooth fully / Sandy Palm Coating Position: Fully Other Finish: None Crotch: None Palm: PNone Knuckle: None Cuff: Gauntlet
Color	■ Red / ■ Black
Cuff Style	Gauntlet
Sizes	XL-2XL
Package	Standard 12 pairs per dozen, 10 dozen per case
Case	Please contact our Sales person for details
Case Weight	Please contact our Sales person for details
Country of Origin	China



PH-V303BR



TS CHEMIC-Chemical Grip, Soft oil chemical proof anti-slip cold weather PVC & NBR coated glove, 26CM Length. Velcro Cuff.

Features & Benefit

- ⚡ Polar fleece liner with PVC triple dipping
- ⚡ Glove remain flexible and soft touch & comfort
- ⚡ PVC & NBR coating resistant to petrol, diesel and many chemicals
- ⚡ Velcro cuff- Easy on & off lock fitting

Product Functions



Applications



Technical Data

Material	PVC / NBR / Fleece
Construction	Liner Gauge: 18 Gauge Liner Material: Nylon Coating Material: PVC / NBR Coating Finish: Smooth fully / Sandy Palm Coating position: Fully Other Finish: None Crotch: None Palm: None Knuckle: None Cuff: Gauntlet + Velcro
Color	■ Red / ■ Black
Cuff Style	Gauntlet + Velcro
Sizes	XL-2XL
Package	Standard 12 pairs per dozen, 10 dozen per case
Case	Please contact our Sales person for details
Case Weight	Please contact our Sales person for details
Country of Origin	China



PNH-163



TS CHEMIC-Chemical Grip, Waterproof Cold resistant soft flexible tear resistance PVC & NBR coated glove. 27CM Length. Safety Cuff.

Features & Benefit

- ⚡ 15GG Nylon + 7GG Acrylic double seamless shell construction
- ⚡ Glove remain flexible and soft touch & comfort
- ⚡ PVC & NBR coating resistant to petrol, diesel and many chemicals
- ⚡ Velcro cuff- Easy on & off lock fitting

Product Functions



Applications



Technical Data

Material	PVC / NBR / Acrylic
Construction	Liner Gauge: 15 Gauge + 7 Gauge Liner Material: Acrylic Coating Material: PVC / NBR Coating Finish: Smooth Coating position: Fully Other Finish: None Crotch: None Palm: None Knuckle: None Cuff: Safety Cuff
Color	■ Orange / ■ Black
Cuff Style	Safety Cuff
Sizes	XL-2XL
Package	Standard 12 pairs per dozen, 10 dozen per case
Case	Please contact our Sales person for details
Case Weight	Please contact our Sales person for details
Country of Origin	China



27-H271



TS CHEMIC-Chemical Grip, Light weight waterproof cold protection PVC & NBR coated glove, 27CM Length.

Features & Benefit

- ⚡ 15GG Nylon + 7GG Acrylic double seamless shell construction
- ⚡ Glove remain flexible and soft touch & comfort
- ⚡ PVC & NBR coating resistant to petrol, diesel and many chemicals

Product Functions



Applications




Technical Data

Material	PVC / NBR / Acrylic
Construction	Liner Gauge: 15 Gauge + 7 Gauge Liner Material: Acrylic Coating Material: PVC / NBR Coating Finish: Smooth Coating position: Fully Other Finish: None Crotch: None Palm: None Knuckle: None Cuff: Elastic Cuff
Color	■ Grey / ■ Black
Cuff Style	Elastic
Sizes	XL-2XL
Package	Standard 12 pairs per dozen, 10 dozen per case
Case	Please contact our Sales person for details
Case Weight	Please contact our Sales person for details
Country of Origin	China



C22130



TS CHEMIC-Chemical Grip, 13GG cut resistant seamless liner with violet Smooth Nitrile, Fully dipped Sandy Foam Nitrile palm dipped. 30CM Length.

Features & Benefit

- ⚡ 13GG HPPE / Glass liner with Nitrile dipping
- ⚡ Double Rough Nitrile coating resistant to petrol, diesel and many chemicals
- ⚡ Double Nitrile 3-4 times longer life-span than equivalent vinyl/PVC gloves
- ⚡ Sandy Foam Nitrile provide excellent High Abrasion grip in oily conditions

Product Functions




Applications



Technical Data

Material	HPPE / Glass / Nitrile
Construction	Liner Gauge: 13 Gauge Liner Material: HPPE / Glass Coating Material: Nitrile Coating Finish: Smooth fully / Sandy Palm Coating Position: Fully Other Finish: None Crotch: None Palm: None Knuckle: None Cuff: Gauntlet
Color	■ Violet / ■ Black
Cuff Style	Gauntlet
Sizes	XL-2XL
Package	Standard 12 pairs per dozen, 10 dozen per case
Case	Please contact our Sales person for details
Case Weight	Please contact our Sales person for details
Country of Origin	China

N22100




TS CHEMIC-Chemical Grip, 13GG seamless liner with green Smooth Nitrile, Fully dipped Sandy Foam Nitrile palm dipped. 30CM Length.

Features & Benefit

- ⚡ 13GG seamless liner with Nitrile dipping
- ⚡ Double Rough Nitrile coating resistant to petrol, diesel and many chemicals
- ⚡ Double Nitrile 3-4 times longer life-span than equivalent vinyl/PVC gloves
- ⚡ Sandy Foam Nitrile provide excellent High Abrasion grip in oily conditions

Product Functions




Applications



Technical Data

Material	Nylon / Nitrile
Construction	Liner Gauge: 13 Gauge Liner Material: Nylon Coating Material: Nitrile Coating Finish: Smooth fully / Sandy Palm Coating Position: Fully Other Finish: None Crotch: None Palm: None Knuckle: None Cuff: Gauntlet
Color	■ Green / ■ Black
Cuff Style	Gauntlet
Sizes	XL-2XL
Package	Standard 12 pairs per dozen, 10 dozen per case
Case	Please contact our Sales person for details
Case Weight	Please contact our Sales person for details
Country of Origin	China

N12600



TS CHEMIC-Chemical Grip, 13GG seamless cotton liner with green double Green Nitrile rough finish coated glove, 27CM Length.

Features & Benefit

- ⚡ 13GG Cotton liner with Nitrile dipping
- ⚡ Double Rough Nitrile coating resistant to petrol, diesel and many chemicals
- ⚡ Double Nitrile 3-4 times longer life-span than equivalent vinyl/PVC gloves

Product Functions



Applications




Technical Data

Material	Cotton / Nitrile
Construction	Liner Gauge: 13 Gauge Liner Material: Cotton Coating Material: Nitrile Coating Finish: Rough Coating Position: Fully Other Finish: None Crotch: None Palm: None Knuckle: None Cuff: Gauntlet
Color	■ Green
Cuff Style	Gauntlet
Sizes	XL-2XL
Package	Standard 12 pairs per dozen, 10 dozen per case
Case	Please contact our Sales person for details
Case Weight	Please contact our Sales person for details
Country of Origin	China



N12602



TS CHEMIC-Chemical Grip, 13GG seamless cotton liner with blue double Blue Nitrile rough finish coated glove, 27CM Length.

Features & Benefit

- ⚡ 13GG Cotton liner with Nitrile dipping
- ⚡ Double Rough Nitrile coating resistant to petrol, diesel and many chemicals
- ⚡ Double Nitrile 3-4 times longer life-span than equivalent vinyl/PVC gloves

Product Functions



Applications




Technical Data

Material	Cotton / Nitrile
Construction	Liner Gauge: 13 Gauge Liner Material: Cotton Coating Material: Nitrile Coating Finish: Rough Coating Position: Fully Other Finish: None Crotch: None Palm: None Knuckle: None Cuff: Gauntlet
Color	■ Blue
Cuff Style	Gauntlet
Sizes	XL-2XL
Package	Standard 12 pairs per dozen, 10 dozen per case
Case	Please contact our Sales person for details
Case Weight	Please contact our Sales person for details
Country of Origin	China



N12601



TS CHEMIC-Chemical Grip, 13GG seamless cotton liner with blue double Green Nitrile sandy finish coated glove, 27CM Length.

Features & Benefit

- ⚡ 13GG Cotton liner with Nitrile dipping
- ⚡ Double Sandy Nitrile coating resistant to petrol, diesel and many chemicals
- ⚡ Double Nitrile 3-4 times longer life-span than equivalent vinyl/PVC gloves

Product Functions



Applications




Technical Data

Material	Cotton / Nitrile
Construction	Liner Gauge: 13 Gauge Liner Material: Cotton Coating Material: Nitrile Coating Finish: Rough Coating Position: Fully Other Finish: None Crotch: None Palm: None Knuckle: None Cuff: Gauntlet
Color	■ Blue
Cuff Style	Gauntlet
Sizes	XL-2XL
Package	Standard 12 pairs per dozen, 10 dozen per case
Case	Please contact our Sales person for details
Case Weight	Please contact our Sales person for details
Country of Origin	China



NP46000



TS CHEMIC-Chemical Grip, Cotton Jesrey / Sponge sewing liner with black wrinkle finish Neoprene coated glove.

Features & Benefit

- ⚡ Cotton Jesrey / Sponge sewing liner with Neoprene dipping
- ⚡ Glove remain highly durable, comfortable and flexible
- ⚡ Neoprene coating resistant high chemicals
- ⚡ Neoprene coating resistant to high heats
- ⚡ Varibale length options

Product Functions




Applications



Technical Data

Material	Cotton / Neoprene
Construction	Liner Gauge: None Liner Material: Cotton Jesrey Coating Material: Neoprene Coating Finish: Rough Coating Position: Fully Other Finish: None Crotch: None Palm: None Knuckle: None Cuff: Gauntlet
Color	■ Black / ■ Red
Cuff Style	Gauntlet
Sizes	XL-2XL
Package	Standard 12 pairs per dozen, 10 dozen per case
Case	Please contact our Sales person for details
Case Weight	Please contact our Sales person for details
Country of Origin	China

L46000



TS CHEMIC-Chemical Grip, Cotton Jersey liner with fully yellow Wrinkle finish Latex coating, 40CM Length.

Features & Benefit

- ⚡ Soft and flexible gloves with great dexterity causing minimal hand fatigue
- ⚡ Excellent grip recommended for handling fish and other slippery items and materials.
- ⚡ Approved to be used in direct contact with all types of food, including fatty foods (EN 1186).
- ⚡ Do not contain silicone

Product Functions



Applications




Technical Data

Material	Cotton / Latex
Construction	Liner Gauge: None Liner Material: Cotton Coating Material: Latex Coating Finish: Wrinkle Coating position: Fully Other Finish: None Crotch: None Palm: None Knuckle: None Cuff: Gauntlet
Color	■ Yellow
Cuff Style	Gauntlet
Sizes	XL-2XL
Package	Standard 12 pairs per dozen, 10 dozen per case
Case	Please contact our Sales person for details
Case Weight	Please contact our Sales person for details
Country of Origin	China



L46001



TS CHEMIC-Chemical Grip, Cotton Jersey liner with fully Orange Wrinkle finish Latex coating, 40CM Length.

Features & Benefit

- ⚡ Soft and flexible gloves with great dexterity causing minimal hand fatigue
- ⚡ Excellent grip recommended for handling fish and other slippery items and materials
- ⚡ Approved to be used in direct contact with all types of food, including fatty foods (EN 1186)
- ⚡ Do not contain silicone

Product Functions



Applications




Technical Data

Material	Cotton / Latex
Construction	Liner Gauge: None Liner Material: Cotton Coating Material: Latex Coating Finish: Wrinkle Coating position: Fully Other Finish: None Crotch: None Palm: None Knuckle: None Cuff: Gauntlet
Color	■ Orange
Cuff Style	Gauntlet
Sizes	XL-2XL
Package	Standard 12 pairs per dozen, 10 dozen per case
Case	Please contact our Sales person for details
Case Weight	Please contact our Sales person for details
Country of Origin	China



NP46001



TS CHEMIC-Chemical Grip, Cotton Jesrey / Sponge sewing liner with black wrinkle finish Neoprene coated glove.

Features & Benefit

- ⚡ Cotton Jesrey / Sponge sewing liner with Neoprene dipping
- ⚡ Glove remain highly durable, comfortable and flexible
- ⚡ Neoprene coating resistant high chemicals
- ⚡ Neoprene coating resistant to high heats
- ⚡ Varibale length options

Product Functions



Applications



Technical Data

Material	Cotton / Neoprene
Construction	Liner Gauge: None Liner Material: Cotton Jesrey Coating Material: Neoprene Coating Finish: Rough Coating Position: Fully Other Finish: None Crotch: None Palm: None Knuckle: None Cuff: Gauntlet
Color	■ Black / ■ Red
Cuff Style	Gauntlet
Sizes	XL-2XL
Package	Standard 12 pairs per dozen, 10 dozen per case
Case	Please contact our Sales person for details
Case Weight	Please contact our Sales person for details
Country of Origin	China

PH-V305BB



TS CHEMIC-Chemical Grip, Oil grip industrial sandy finishing palm PVC & NBR coated glove. Elastic Cuff, 30CM Length.

Features & Benefit

- ⚡ 15GG Nylon liner with PVC dipping
- ⚡ PVC & NBR coating resistant to petrol, diesel and many chemicals
- ⚡ Perfect combinations of chemical defence, superior grip and flexibility, allowing wearers to hold oily and wet materials well

Product Functions



Applications



Technical Data

Material	PVC / NBR / Fleece
Construction	Liner Gauge: 15 Gauge Liner Material: Nylon Coating Material: PVC / NBR Coating Finish: Smooth fully / Sandy Palm Coating position: Fully Other Finish: None Crotch: None Palm: None Knuckle: None Cuff: Elastic Cuff
Color	■ Black / ■ Black
Cuff Style	Gauntlet + Velcro
Sizes	XL-2XL
Package	Standard 12 pairs per dozen, 10 dozen per case
Case	Please contact our Sales person for details
Case Weight	Please contact our Sales person for details
Country of Origin	China

27-H272



TS CHEMIC-Chemical Grip, 13GG Black outer + 7GG thermal terry brush seamless shell, Black Rough Foam PVC coated palm.

Features & Benefit

- ⚡ Construction Material- Polyester+Acrylic Terry Brush make great cold protection
- ⚡ Comfort Fit- 13GG + 7GG double seamless shell construction provides excellent wear fit
- ⚡ Coating Profile- Rough Foam PVC provide excellent grip in oily / chemical liquid conditions

Product Functions



Applications



Technical Data

Material	PVC / NBR / Polyester / Acrylic
Construction	Liner Gauge: 15 Gauge + 7 Gauge Liner Material: Polyester / Acrylic Coating Material: PVC / NBR Coating Finish: Smooth Coating position: Fully Other Finish: None Crotch: None Palm: None Knuckle: None Cuff: Elastic Cuff
Color	■ Black
Cuff Style	Elastic
Sizes	XL-2XL
Package	Standard 12 pairs per dozen, 10 dozen per case
Case	Please contact our Sales person for details
Case Weight	Please contact our Sales person for details
Country of Origin	China